



# Tanium™ Feed User Guide

Version 1.1.103

September 13, 2022

*The information in this document is subject to change without notice. Further, the information provided in this document is provided “as is” and is believed to be accurate, but is presented without any warranty of any kind, express or implied, except as provided in Tanium’s customer sales terms and conditions. Unless so otherwise provided, Tanium assumes no liability whatsoever, and in no event shall Tanium or its suppliers be liable for any indirect, special, consequential, or incidental damages, including without limitation, lost profits or loss or damage to data arising out of the use or inability to use this document, even if Tanium Inc. has been advised of the possibility of such damages.*

*Any IP addresses used in this document are not intended to be actual addresses. Any examples, command display output, network topology diagrams, and other figures included in this document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.*

*Please visit <https://docs.tanium.com> for the most current Tanium product documentation.*

*This documentation may provide access to or information about content, products (including hardware and software), and services provided by third parties (“Third Party Items”). With respect to such Third Party Items, Tanium Inc. and its affiliates (i) are not responsible for such items, and expressly disclaim all warranties and liability of any kind related to such Third Party Items and (ii) will not be responsible for any loss, costs, or damages incurred due to your access to or use of such Third Party Items unless expressly set forth otherwise in an applicable agreement between you and Tanium.*

*Further, this documentation does not require or contemplate the use of or combination with Tanium products with any particular Third Party Items and neither Tanium nor its affiliates shall have any responsibility for any infringement of intellectual property rights caused by any such combination. You, and not Tanium, are responsible for determining that any combination of Third Party Items with Tanium products is appropriate and will not cause infringement of any third party intellectual property rights.*

*Tanium is committed to the highest accessibility standards for our products. To date, Tanium has focused on compliance with U.S. Federal regulations - specifically Section 508 of the Rehabilitation Act of 1998. Tanium has conducted 3rd party accessibility assessments over the course of product development for many years and has most recently completed certification against the WCAG 2.1 / VPAT 2.3 standards for all major product modules in summer 2021. In the recent testing the Tanium Console UI achieved supports or partially supports for all applicable WCAG 2.1 criteria. Tanium can make available any VPAT reports on a module-by-module basis as part of a larger solution planning process for any customer or prospect.*

*As new products and features are continuously delivered, Tanium will conduct testing to identify potential gaps in compliance with accessibility guidelines. Tanium is committed to making best efforts to address any gaps quickly, as is feasible, given the severity of the issue and scope of the changes. These objectives are factored into the ongoing delivery schedule of features and releases with our existing resources.*

*Tanium welcomes customer input on making solutions accessible based on your Tanium modules and assistive technology requirements. Accessibility requirements are important to the Tanium customer community and we are committed to prioritizing these compliance efforts as part of our overall product roadmap. Tanium maintains transparency on our progress and milestones and welcomes any further questions or discussion around this work. Contact your sales representative, email Tanium Support at [support@tanium.com](mailto:support@tanium.com), or email [accessibility@tanium.com](mailto:accessibility@tanium.com) to make further inquiries.*

*Tanium is a trademark of Tanium, Inc. in the U.S. and other countries. Third-party trademarks mentioned are the property of their respective owners.*

*© 2022 Tanium Inc. All rights reserved.*

# Table of contents

---


- Feed overview** ..... 5
  - Notifications ..... 5
    - Notification types ..... 5
    - Notification category and priority ..... 6
- Getting started with Feed** ..... 7
  - Step 1: Review the requirements ..... 7
  - Step 2: Install Feed ..... 7
  - Step 3: Grant Feed permissions ..... 7
  - Step 4: View and manage notifications ..... 7
- Feed requirements** ..... 8
  - Core platform dependencies ..... 8
  - Solution dependencies ..... 8
    - Tanium recommended installation ..... 8
    - Import specific solutions ..... 8
    - Required dependencies ..... 8
  - Tanium™ Module Server ..... 9
  - Endpoints ..... 9
  - Host and network security requirements ..... 9
    - Ports ..... 9
    - Security exclusions ..... 9
  - User role requirements ..... 10
- Installing Feed** ..... 11
  - Before you begin ..... 11
  - Import Feed ..... 11
  - Manage solution dependencies ..... 11
  - Verify Feed version ..... 12
- Configuring Feed** ..... 13

---

Set up Feed users .....	13
<b>Viewing and managing notifications .....</b>	<b>14</b>
View notifications .....	14
Manage notifications .....	15
Set notification preferences .....	18
<b>Troubleshooting Feed .....</b>	<b>21</b>
Review logs .....	21
Uninstall Feed .....	21
Contact Tanium Support .....	21

# Feed overview

Tanium delivers notifications directly to users through Tanium Feed. Feed adds a slide-out notification panel to the Tanium Console where you can view notifications from any page.






## Notifications

Each user on the Tanium Console receives notifications, and users manage their own notifications.

### Notification types

The following types of notifications appear in Feed:

-  **General:** News from Tanium, which include new features, new solutions, best practices, and more.
-  **Emerging Issues:** Tanium Community articles that describe emerging security issues.
-  **Release Notes:** Knowledge base articles that describe new Tanium solution releases, including improvements, resolved issue, and known issues.
- **<Product Notification>:** Messages generated from a Tanium solution, such as Tanium™ Interact or Tanium™ Risk. The icon that appears matches the solution.

## Notification category and priority

Each notification color-codes the notification category with the priority of the notification.

Priority levels include:

- **Critical**
- **High**
- **Medium**
- **Low**

# Getting started with Feed

## Step 1: Review the requirements

Review the system, network, security, and user role requirements. See [Feed requirements on page 8](#).

## Step 2: Install Feed

See [Installing Feed on page 11](#).

## Step 3: Grant Feed permissions

Grant permissions to users to use Feed.

To access notifications in the Tanium Console, users must either have the **Interact** Show permission or the **Feed** Show permission. See [User role requirements on page 10](#) and [Set up Feed users on page 13](#).

## Step 4: View and manage notifications

View notifications and learn how to manage notifications. See [Viewing and managing notifications on page 14](#).

# Feed requirements

Review the requirements before you install and use Feed.

## Core platform dependencies

Make sure that your environment meets the following requirements:

- **Tanium™ Core Platform servers:** 7.5.5.1140 or later
- **Tanium™ Client:** No client requirements

## Solution dependencies

Other Tanium solutions are required for Feed to function (required dependencies) or for specific Feed features to work (feature-specific dependencies). The installation method that you select determines if the Tanium Server automatically imports dependencies or if you must manually import them.



Some Feed dependencies have their own dependencies, which you can see by clicking the links in the lists of [Required dependencies on page 8](#) and [Feed requirements on page 8](#). Note that the links open the user guides for the latest version of each solution, not necessarily the minimum version that Feed requires.

## Tanium recommended installation

If you select **Tanium Recommended Installation** when you import Feed, the Tanium Server automatically imports all your licensed solutions at the same time. See [Tanium Console User Guide: Import all modules and services](#).

## Import specific solutions

If you select only Feed to import and are using Tanium Core Platform 7.5.2.3531 with Tanium Console 3.0.72 or later, the Tanium Server automatically imports the latest available versions of any required dependencies that are missing. If some required dependencies are already imported but their versions are earlier than the minimum required for Feed, the server automatically updates those dependencies to the latest available versions.

## Required dependencies

Feed has the following required dependencies at the specified minimum versions:

- Tanium [RDB Service](#) 1.0.172 or later
- Tanium [System User Service](#) 1.0.40 or later



# Tanium™ Module Server

Feed is installed and runs as a service on the Module Server host computer. The impact on the Module Server is minimal and depends on usage.

For information about Module Server sizing in a Windows deployment, see [Tanium Core Platform Deployment Guide for Windows: Host system sizing guidelines](#).

## Endpoints

Feed does not deploy packages to endpoints. For Tanium Client operating system support, see [Tanium Client Management User Guide: Client version and host system requirements](#).

## Host and network security requirements

Specific ports and processes are needed to run Feed.

### Ports

The following ports are required for Feed communication.

Source	Destination	Port	Protocol	Purpose
Module Server	Tanium Server	17422	TCP	Proxy for requests from the Tanium Server



BEST PRACTICE

Configure firewall policies to open ports for Tanium traffic with TCP-based rules instead of application identity-based rules. For example, on a Palo Alto Networks firewall, configure the rules with service objects or service groups instead of application objects or application groups.

### Security exclusions

If security software is in use in the environment to monitor and block unknown host system processes, Tanium recommends that a security administrator create exclusions to allow the Tanium processes to run without interference. The configuration of these exclusions varies depending on AV software. For a list of all security exclusions to define across Tanium, see [Tanium Core Platform Deployment Reference Guide: Host system security exclusions](#).

#### Feed security exclusions

Target Device	Notes	Exclusion Type	Exclusion
Module Server		Process	<Module Server>\services\feed-service\taniumFeedService.exe

## User role requirements

The following tables list the role permissions required to use Feed. To review a summary of the predefined roles, see [Set up Feed users on page 13](#).



IMPORTANT

To access notifications in the Tanium Console, you must have either the **Feed Show** permission or the **Interact Show** permission. For information about the **Interact Show** permission, see [Tanium Interact User Guide: Tanium Data Service permissions](#).



NOTE

Do not assign the **Feed Service Account** and **Feed Service Account - All Content Sets** roles to users. These roles are for internal purposes only.

For more information about role permissions and associated content sets, see [Tanium Console User Guide: Managing RBAC](#).

### Feed user role permissions

Permission	Feed User	Feed Operator
<b>Feed</b> SHOW: View Feed in the Tanium Console OPERATOR: View and manage notifications in all content sets	 SHOW	 OPERATOR SHOW
<b>Feed Message</b> Read and acknowledge Feed notifications	 ACKNOWLEDGE <sup>1</sup> READ <sup>1</sup>	 ACKNOWLEDGE READ

<sup>1</sup> Grants access to content in the Feed content set.

### Provided Feed platform content permissions

Permission	Feed User	Feed Operator
Plugin	 READ EXECUTE	

You can view which content sets are granted to any role in the Tanium Console.

# Installing Feed

Use the Tanium Console **Solutions** page to install Feed and choose either automatic or manual configuration:

- **Automatic configuration** (Tanium Core Platform 7.4.2 or later only): Feed is installed with any required dependencies and other selected products. This option is the best practice for most deployments. For more information about the automatic configuration for Feed, see [Tanium Console User Guide: Import all modules and services](#).
- **Manual configuration:** Manually install Feed and the required dependencies. For more information, see [Import Feed on page 11](#).

## Before you begin

- Read the [release notes](#).
- Review the [requirements](#).
- To import the Feed solution, you must be assigned the **Administrator** reserved role.

## Import Feed

Perform the following steps to install the Feed solution on the Tanium Server.



NOTE

If you have multiple Tanium Servers in an active-active configuration, you only need to perform these steps on one Tanium Server if you have Tanium Core Platform 7.4.3.1204 or later.

1. Sign in to the Tanium Console with an account that has the **Administrator** reserved role.
2. From the Main menu, go to **Administration > Configuration > Solutions**.
3. In the **Content** section, select the checkbox for **Feed** and click **Import**.



TIP

If you need to install any prerequisite Tanium solutions, select the corresponding checkboxes for those solutions as well.

4. Review the content to import and click **Begin Install**.

## Manage solution dependencies

Other Tanium solutions are required for Feed to function (required dependencies) or for specific Feed features to work (feature-specific dependencies). See [Solution dependencies](#).

## Verify Feed version

After you import or upgrade Feed, verify that the correct version is installed.

1. Refresh your browser.
2. From the Main menu, go to **Administration > Solutions**.
3. In the **Content** section, locate the **Feed** row.
4. Verify the **Imported Version** reflects the version you installed.
5. From the Main menu, go to **Activity**. Verify the **Activity** page loads and that notifications appear.

# Configuring Feed

## Set up Feed users

You can use the following set of predefined user roles to set up Feed users.

To review specific permissions for each role, see [User role requirements on page 10](#).



On installation, Feed creates a **Feed** user to automatically manage the Feed service account. Do not edit or delete the **Feed** user.

For more information about assigning user roles, see [Tanium Core Platform User Guide: Manage role assignments for a user](#).

### Feed User

Assign the **Feed User** role to users who need to read and manage Feed notifications in their assigned content sets. Users with the **Interact** Show permission do not need this role to view and manage notifications in Feed; assign the **Feed User** role to only those users who do not have the **Interact** Show permission.

### Feed Operator

Assign the **Feed Operator** role to users who manage notifications in any content set. This includes notifications for all licensed solutions.




Do not assign the **Feed Service Account** and **Feed Service Account - All Content Sets** roles to users. These roles are for internal purposes only.

# Viewing and managing notifications


You can quickly view notifications from any page in the Tanium Console, and you can manage notifications through the **Activity** page.

## View notifications

To view unread notifications from any page:


1. View the notification panel. From the Main menu, go to Notifications . The number next to the icon indicates the number of new notifications.

A slide-out panel appears with any unread and pinned notifications. Notifications are arranged chronologically, with the newest notifications at the top.



2. View notification details. The following options are available:

- To show the summary, click the title of the notification to expand the summary.




- To view the article, click the title of the notification to show the summary, and then click **Read More**.
- To remove a notification from the slide-out panel, click **X** in the title bar.  
The notification is removed from the slide-out panel. You can still access the notification from the **Activity** page.
- To mark all notifications as read, click **Dismiss All**.


3. To close the slide-out panel, click **X** in the upper right of the panel.

## Manage notifications


Use the **Activity** page to manage and view notifications.

- From the Main menu, go to **Activity**. The **Activity** page opens. Notifications are arranged chronologically, with the latest notifications at the top.




 Unread notifications contain the **new** label.

- (Optional) Set any filter options. The following filters are available:


Filter	Description
Status	Select <b>All</b> to show all notifications regardless of read status. Select <b>Unread</b> to show only unread notifications. Select <b>Read</b> to show read notifications.  <div data-bbox="386 1493 1464 1619" style="border: 1px solid orange; padding: 5px;"> <p> A notification status changes to read when you pin the notification to the slide-out panel, click the <b>Read More</b> link, or expand the notification summary.</p> </div>
Range	Select the time range for which to show notifications.
Filter by text	Enter a value to search all titles and summaries for the text.





Filter	Description
Type	<p>On the <b>Activity</b> menu, click a filter to only show notifications that match the type. Any other filters that you specify are preserved. Options include <b>My Notifications</b>, <b>All Notifications</b>, <b>Emerging Issues</b>, <b>Announcements</b>, <b>Release Notes</b>, and options for Tanium solutions. The <b>My Notifications</b> option includes notifications that apply to the filters you set in the <a href="#">notification preferences</a>.</p> 

3. The following options are available for each notification:


- To expand and collapse the summary, click the title of the notification.



- To add a notification to the slide-out panel, click Pin .
- To remove the notification from the slide-out Activity panel, click Unpin .
- To view the article, click **Read More**.

Set notification preferences

- 1. From the **Activity** page, click Preferences .











2. Use the sliders to select the types of notifications that you want to see in the slide-out notification panel and the **My Notifications** category on the **Activity** page.

### Notification Preferences

#### My Notifications ∨

Select the topics of notifications that will appear in the notification panel and the "My Notifications" filter on the Activity Page.

 General	ON	<input checked="" type="checkbox"/>
 Emerging Issue	ON	<input checked="" type="checkbox"/>
 Interact	ON	<input checked="" type="checkbox"/>
 Asset	ON	<input checked="" type="checkbox"/>
 Comply	ON	<input checked="" type="checkbox"/>
 Connect	ON	<input checked="" type="checkbox"/>
 Core	ON	<input checked="" type="checkbox"/>
 Deploy	ON	<input checked="" type="checkbox"/>

#### Appearance ∨


Notification Card View

Condensed

Expanded

**Save** **Cancel**

3. For **Appearance**, select how you want the notifications to appear on the slide-out Activity panel and the **Activity** page.
- Select **Condensed card view** if you want the notification content in the card to be collapsed by default.



- Select **Expanded card view** if you want the notification content in the card to be expanded by default.



4. Click **Save**.

# Troubleshooting Feed

If Feed is not performing as expected, you might need to troubleshoot issues.

## Review logs

Tanium Feed maintains logging information in the `feed-service.log` file in the `\Program Files\Tanium\Tanium Module Server\services\feed-files\logs\` directory.

## Uninstall Feed

If you need to uninstall Feed, perform the following steps.



IMPORTANT

Consult with Tanium Support before you uninstall or reinstall Feed.

1. Sign in to the Tanium Console as a user with the Administrator role.
2. From the Main menu, go to **Administration > Configuration > Solutions**.
3. In the **Content** section, select the **Feed** row and click **Uninstall**.
4. Review the summary and click **Yes** to proceed with the uninstallation.
5. When prompted to confirm, enter your password.



NOTE

The uninstall does not remove the Feed log from the Tanium Module Server. To remove the log after the uninstall completes, manually delete the `\Program Files\Tanium\Tanium Module Server\services\feed-files\` directory.

## Contact Tanium Support

To contact Tanium Support for help, sign in to <https://support.tanium.com>.